

Floor cabinets

The rack 19 "floor cabinets Monolyth are perfect for any kind of electronic system, whether accurate and sophisticated, or large, heavy, and bulky server devices. To satisfy a wide range of needs,

Monolyth has fitted floor 19 "with different heights, widths, background and abilities, from 22U to 47U cabinets with widths of 600 and 800 mm and backgrounds ranging from 600 mm to

1000mm, with glass doors, perforated, and even double penetrated for larger closets. **All kinds of quality solutions at very competitive prices for SMEs and large enterprises and facilities**



Double Door: It is possible to place a double door in the large rack cabinets, from 800 mm. width, which keeps closed a cabinet part while working in the other.

Key Features

- **Rack with** standard profile width of 19"
- **Front door** tempered glass 4mm toughened safety, transparent and openness security key.
- **Also available** choice double and perforated door (only 800mm wide).
- **Perforated rear** door that optimizes ventilation inside.
- **Opening up** Handylock front door and back door key.
- **Basic structure** completely removable.
- **Roof and floor** vents entries pre-punched wire.
- **Adjustable** legs or supports.
- **Profiles** numbered rack.
- **Adjustable** depth profiles.
- **Removable side** panels for easy opening with side zipper.
- **Accessible by front,** rear and side door area.
- **Finishes to avoid** electro-static and dust intrusion.
- **Complies with** CE and RoHS environmental standards.
- **Delivery is assembled** and shrink the cabinet, protected corners, on wooden pallet and relevant unpacking and installation instructions.

Floor cabinets models available:

- **Heights:** 22U, 24U, 32U, 42U and 47U.
- **Doors:** Glass, Perforated, Perforated double (only width 800).
- **Width:** 600mm (22, 32 and 42U) | 800mm (42 and 47U).
- **Depth:** 600mm (22 and 32U) 800mm (42 and 47U), 900mm (22, 24, 32 and 42U) 1000mm (22, 42 and 47U)

Technical Specifications

- **Treatment:** degreasing, phosphoric acid and cleaned with anti-rust paint.
- **Degree of protection:** IP20 (protection against dust ingress).
- **Capacity:** 800 Kg (on foot) | 400 Kg (on wheels).
- **Material:** SPCC cold rolled steel.
- **Thickness of steel:** Rails 2.0 mm | 1.5 mm angles, other 1.2 mm.
- **Color:** Black RAL 9004 smooth finish.

Included accessories

- **4 wheels** with brake.
- **Mounting hardware,** adjustable in height and set of keys for locks included feet.
- **In floor cabinets** 800 mm 2 side wiring guides.


Certificates:

Meets standards:

ANSI / EIA RS-310-D, DIN41491 PART1, DIN41491 pART7, ETSI standard supports 19 "International Standard, RoHS Directive 2002/95/EC, EN 60439-3:1991 + A1: 1994 C: 1994 + A2: 2001 + AC: 2005 + AC: 2009, EN 60439-1:1999 + A1: 2004.




20CATALOGUE 14PRODUCT



Floor Cabinets

1. Top cover.
2. Installation Guide numbered accessories.
3. Crossmember support of the numbered guides.
4. Front lock lever.
5. Front door with tempered safety glass.
6. Wheel brake.
7. Mounting frame.
8. Removable side panel.
9. Panel grid.
10. Tailgate.
11. Bottom of the closet.
12. Input cable.

Units in mm.



FLOOR CABINETS

Rack cabinets 19" floor rack cabinets with various sizes from 22U to 47U cabinets with widths of 600 and 800 mm. and depths ranging from 600 mm. to 1000 mm.

U=45mm.

Code	Height	Model	Measures *	Finishes
101001	22U	SH6622	600 x 600	Glass door
101011	22U	SH6622	600 x 600	Perforated door
102001	22U	SH6922	600 x 900	Glass door
102011	22U	SH6922	600 x 900	Perforated door
103001	22U	SH6022	600 x 1000	Glass door
103011	22U	SH6022	600 x 1000	Perforated door
114001	24U	SH6924	600 x 900	Glass door
104001	32U	SH6632	600 x 600	Glass door
104011	32U	SH6632	600 x 600	Perforated door
105001	32U	SH6932	600 x 900	Glass door
105011	32U	SH6932	600 x 900	Perforated door
106001	42U	SH6642	600 x 600	Glass door
106011	42U	SH6642	600 x 600	Perforated door
107001	42U	SH6942	600 x 900	Glass door
107011	42U	SH6942	600 x 900	Perforated door
108001	42U	SH6042	600 x 1000	Glass door
108011	42U	SH6042	600 x 1000	Perforated door

*Units in mm.





FLOOR CABINETS

We also have a variety of finishes. Glass, perforated, double doors, for larger cabinets, to improve the access and maneuverability, and to maintain closed part of the cabinet while works in the other.



Code	Height	Model	Measures*	Finishes
109001	42U	SH8842	800 x 800	Glass door
109011	42U	SH8842	800 x 800	Perforated door
109021	42U	SH8842	800 x 800	Double perforated door
110001	42U	SH8942	800 x 900	Glass door
110011	42U	SH8942	800 x 900	Perforated door
110021	42U	SH8942	800 x 900	Double perforated door
111001	42U	SH8042	800 x 1000	Glass door
111011	42U	SH8042	800 x 1000	Perforated door
111021	42U	SH8042	800 x 1000	Double perforated door
112001	47U	SH8847	800 x 800	Glass door
112011	47U	SH8847	800 x 800	Perforated door
112021	47U	SH8847	800 x 800	Double perforated door
113001	47U	SH8047	800 x 1000	Glass door
113011	47U	SH8047	800 x 1000	Perforated door
113021	47U	SH8047	800 x 1000	Double perforated door

*Units in mm.